

Product



Classic hatt/skohylla

Published 2024-11-12

I slutet av 1950-talet ritade Gunnar Bolin hatthyllan Classic. Dess runda former bröt ny mark och har skonat många huvuden från vassa kanter. En mycket funktionell och hållbar hatthylla som är mycket flexibel i vilka bredder som går att få till din hall. Har en retrokaraktär men passar i många olika hallmiljöer. Till projekt kan vi leverera denna hatthylla monterad och även i längder över 1200 mm.

BVB ID	180665	Type of product	Article/product
BSAB code	X - Inredningar och utrustningar	Type of use	Inomhus
BK04 code	06104 Tamburhyllor, krokar och konsoler	Supplier	Essem Design AB



Total
Recommended



Contents
Recommended



Lifecycle
Recommended



BREEAM SE

Product data

Content reporting

Total weight of product: 3.502g



The product includes the following listings:
Riskminskningsämne

Content reporting

	Component/Sub	Quantity/ in the compone	Quantity/ in the prc	CAS	EC	Alloy	H- indicator / Listings	Self- classificati
▼	Pulverlack	-	1.45	-	-	-	-	-
			0,001 45 ≤ x					
	↳ Aluminium	0,1 ≤ x	≤ 0,00					
	↳ Aluminium	≤ 0,5 %	7249 9999 9999 5%	1344- 28-1	215- 691-6	-	-	-
			0,001 45 ≤ x					
	↳ Carbon Black, pigment	0,1 ≤ x ≤ 1%	≤ 0,01 4499 9999 9999 %	1333- 86-4	215- 609-9	-	-	-
	↳ EPOXY RESIN	10 ≤ x ≤ 25%	0,145 ≤ x ≤ 0,36 25%	6833 4-76- 9	690- 887-6	-	-	-
	↳ Polyester resin	25 ≤ x ≤ 50%	0,362 5 ≤ x ≤ 0,72 5%	2847 2-89- 1	692- 088-8	-	-	-
	↳ Dolomit sy kalciumma karbonat	25 ≤ x ≤ 50%	0,362 5 ≤ x ≤ 0,72 5%	1638 9-88- 1	240- 440-2	-	-	-
	↳ 2-ethyl-N,N ethylhexyl	0,1 ≤ x ≤ 0,3 %	0,001 45 ≤ x ≤ 0,00 435%	1860- 26-0	217- 461-0	-	-	-
▼	Ankarkrok	-	0.46	-	-	-	-	-

↳	Aktivt kol, Carbon Black, Char, from refuse burner, C.I. Pigment Black 7, Acetylene black, Carbon, amorphou	1,4%	0,006 4399 9999 9999 9995 %	1333- 86-4	215- 609-9	-	-	-
↳	Polyamide 6	97%	0,446 2%	2503 8-54- 4	Sakn as	-	-	-
↳	Titandioxid Titanium Oxide, TiO2, C.I. Pigment White 6	≥2,1 %	≥0,00 966%	1346 3-67- 7	236- 675-5	-	H351 Risk mins knin gsäm ne	-
↳	Polyethyle - CAS No. 9002-88-4	0,9≤ x ≤1,6 %	0,004 1400 0000 0000 0005 ≤ x ≤0,00 736%	-	926- 220-5	-	-	-
∨	Skruv	-	0.46	-	-	-	-	-
↳	Galvaniser stål (Förzinkat)	100%	0,459 9999 9999 9999 96%	Övrig t, metal ler	-	-	-	-
∨	Rörhylsa	-	0.06	-	-	-	-	-

			≥0,00					
↳	Carbon Black, pigment	≥0,4 %	0239 9999 9999 9999 98%	1333-86-4	215-609-9	-	-	-
↳	Titanium dioxide	≥0,4 %	≥0,00 0239 9999 9999 9999 98%	13463-67-7	236-675-5	-	H351 Risk mins knin gsäm ne	-
↳	Kalciumka	≥0,2 %	≥0,00 0119 9999 9999 9999 99%	471-34-1	207-439-9	-	-	-
↳	Polyethyle - CAS No. 9002-88-4	1,4≤ x ≤1,6 %	0,000 8399 9999 9999 9999 ≤ x ≤0,00 0959 9999 9999 9999 9%	-	926-220-5	-	-	-
↳	Polyetylen densitet (H densitet (L linjär lågdensite	98%	0,058 8%	9002-88-4	-	-	-	-
∨	Plugg	-	0.06	-	-	-	-	-

			≥0,00					
			0119					
↳	Kalciumka	≥0,2 %	9999	471-	207-	-	-	-
			9999	34-1	439-9			
			9999					
			99%					
↳	Titandioxid Titanium Oxide, TiO ₂ , C.I. Pigment White 6	≥1,4 %	≥0,00 0839	1346	236-	-	H354 Risk mins knin gsäm ne	-
			9999	3-67-	675-5			
			9999	7				
			9%					
↳	1- Butene, polymer with ethene	98%	0,058 8%	2508	Sakn as	-	-	-
				7-34-				
				7				
			0,000					
			3599					
↳	Polyethyle - CAS No. 9002-88-4	0,6≤ x ≤1%	9999		926-	-	-	-
			9999	-	220-5			
			9999					
			7≤ x					
			≤0,00					
			06%					
			0,000					
			4799					
↳	Carbon Black, pigment	0,8≤ x ≤1%	9999	1333-	215-	-	-	-
			9999	86-4	609-9			
			9999					
			6≤ x					
			≤0,00					
			06%					
∨	Galgrör	-	7.33	-	-	-	-	-

	↳ Carbon Black, pigment	<0,1 %	<0,00733000000001 %	1333-86-4	215-609-9	-	-	-
	↳ Polyprope (PP)	8,54 %	0,62598199999999 %	9010-79-1	-	-	-	-
	↳ stål, EN 10346	90,99 %	6,669567%	68467-81-2	Saknas	EN 10346	-	-
	↳ Polyethyle - CAS No. 9002-88-4	0,47 %	0,034451%	-	926-220-5	-	-	-
∨	Rör till hyllplan	-	47.73	-	-	-	-	-
	↳ Stålelegerat EN 10305-5 och 10305-3, 1.0261, E370 (C, Si, Mn, P, S), DIN 2395	100%	47,73 %	Övrigt, metaller	-	1.0261	-	-
∨	Nät till hyllplan	-	22.52	-	-	-	-	-
	↳ Stålelegerat C9D	100%	22,52 %	Övrigt, metaller	-	1.0304	-	-
∨	Konsol	-	19.02	-	-	-	-	-

↳	Stål olegerat EN 10305-5 och 10305- 3, 1.0261, E370 (C, Si, Mn, P, S), DIN 2395	100%	19,02 %	Övrig t, metal ler	-	1.026 1	-	-
∨	Väggbricka	-	0.8	-	-	-	-	-
↳	Polyprope (PP)	98%	0,784 %	9003- 07-0	-	-	-	-
↳	Polyethyle - CAS No. 9002-88-4	1,4≤ x ≤1,6 %	0,011 2≤ x ≤0,01 28%	-	926- 220-5	-	-	-
↳	Carbon Black, pigment	0,4%	0,003 2%	1333- 86-4	215- 609-9	-	-	-
↳	Titanium dioxide	0,4%	0,003 2%	1346 3-67- 7	236- 675-5	-	H351 Risk mins knin gsäm ne	-
↳	Kalciumka	0,2%	0,001 6%	471- 34-1	207- 439-9	-	-	-
∨	Ytbehandling	-	0.11	-	-	-	-	-
↳	Krom (metallisk)	100%	0,11 %	7440- 47-3	231- 157-5	-	-	-

Assessment



Total
Recommended



Contents
Recommended

0. Declaration of Contents



Verified supplier Certificates of Substance Content and Concentrations are available, which enabled assessment against level Recommended for each property criterion



The product does not contain nanomaterials



Lifecycle
Recommended

1. Constituent materials and raw materials



Recycled material =50%, however the material referred to has not passed the consumer stage (only production residues/waste and related is referred to here).

2. Manufacture/production of the article



Data regarding emissions/discharges is reported in a product-specific, verified (third-party audited) EPD.



< 50% of primary energy used as an energy carrier/fuel comes from renewable resources, information is reported in verified (third-party audited) EPD.

3. Packaging



The packaging contains recycled material and can be recycled or energy recovered from it.

5. Refuse and demolition



Reutilisation/reuse is possible for =70% of the product.



Material recovery and recycling is possible for =70% of the product.



The product does not give rise to hazardous waste during use/building construction.



End-of-service-life items are not classified as hazardous waste during demolition/dismantling.

6. Emissions to indoor air



Not relevant

Sustainable supply chains

Has your company or organisation relevant certificates regarding Social Responsibility?

Yes , ISO 14001, ISO 9001

Has your company or organisation a written Policy or a Code of Conduct dealing with Social Responsibility in Supply Chain?

Yes

What is included in the policy/Code of Conduct?

FN:s allmänna förklaring om de mänskliga rättigheterna, FN:s barnkonvention, artikel 32, ILO:s åtta kärnkonventioner (barnarbete, tvångsarbete, diskriminering, föreningsfrihet), Arbetsrättslagstiftning, Arbetsmiljö, Miljö, FN:s konvention mot korruption

Is the policy/Code of Conduct made available to employees and distributed in the product's supply chain?

Yes

Is someone in your company's management team appointed responsible for work and routines regarding Social Responsibility?

Yes

Is there a procedure developed to follow up the product's supply chain with regard to Sustainable Supply Chains?

Yes

What is included in the procedure?

Kartläggning - av produktens leverantörskedja, Riskanalys - identifiering av risker i produktens leverantörskedja, Handlingsplan - hur identifierade risker ska hanteras, Uppföljning - av identifierade risker samt av varans leverantörer/underleverantörer

Articles

Name

Article
number

GTIN/EAN

RSK

E-number

Classic L=4...	650-40 ST/K	7392157008101	-	-
Classic L=4...	650-40 ST/ST	7392157008255	-	-
Classic L=4...	650-40 V/K	7392157860044	-	-
Classic L=4...	650-40 V/V	7392157003939	-	-
Classic L=5...	650-50 ST/K	7392157008262	-	-
Classic L=5...	650-50 ST/ST	7392157008286	-	-
Classic L=5...	650-50 V/K	7392157860051	-	-
Classic L=5...	650-50 V/ST	7392157008293	-	-
Classic L=5...	650-50 V/V	7392157005858	-	-
Classic L=6...	650-60 ST/K	7392157008309	-	-
Classic L=6...	650-60 ST/ST	7392157008316	-	-
Classic L=6...	650-60 ST/V	7392157008323	-	-
Classic L=6...	650-60 V/K	7392157860068	-	-
Classic L=6...	650-60 V/ST	7392157008330	-	-
Classic L=6...	650-60 V/V	7392157003830	-	-
Classic L=7...	650-70 ST/K	7392157008347	-	-
Classic L=7...	650-70 ST/ST	7392157008354	-	-

Classic L=7...	650-70 ST/V	7392157008361	-	-
Classic L=7...	650-70 V/K	7392157860075	-	-
Classic L=7...	650-70 V/V	7392157003977	-	-
Classic L=8...	650-80 ST/K	7392157008378	-	-
Classic L=8...	650-80 ST/ST	7392157008408	-	-
Classic L=8...	650-80 ST/V	7392157008415	-	-
Classic L=8...	650-80 V/K	7392157860082	-	-
Classic L=8...	650-80 V/V	7392157003854	-	-
Classic L=9...	650-90 ST/K	7392157008422	-	-
Classic L=9...	650-90 ST/ST	7392157008439	-	-
Classic L=9...	650-90 ST/V	7392157008446	-	-
Classic L=9...	650-90 V/K	7392157860099	-	-
Classic L=9...	650-90 V/ST	7392157008453	-	-
Classic L=9...	650-90 V/V	7392157003991	-	-
Classic L=1...	650-100 ST/K	7392157006602	-	-
Classic L=1...	650-100 ST/ST	7392157006619	-	-
Classic L=1...	650-100 ST/V	7392157006626	-	-

Classic L=1...	650-100 V/K	7392157860105	-	-
Classic L=1...	650-100 V/ST	7392157006633	-	-
Classic L=1...	650-100 V/V	7392157003748	-	-
Classic L=1...	650-110 ST/K	7392157006640	-	-
Classic L=1...	650-110 ST/ST	7392157006657	-	-
Classic L=1...	650-110 ST/V	7392157006664	-	-
Classic L=1...	650-110 V/K	7392157860112	-	-
Classic L=1...	650-110 V/V	7392157003915	-	-
Classic L=1...	650-120 ST/K	7392157006671	-	-
Classic L=1...	650-120 ST/ST	7392157006688	-	-
Classic L=1...	650-120 ST/V	7392157006695	-	-
Classic L=1...	650-120 V/K	7392157860129	-	-
Classic L=1...	650-120 V/ST	7392157007142	-	-
Classic L=1...	650-120 V/V	7392157003885	-	-
Classic sko...	650S-40 ST/K	7392157008538	-	-
Classic sko...	650S-40 ST/ST	7392157008545	-	-
Classic sko...	650S-40 V/K	7392157862048	-	-

Classic sko...	650S-40 V/V	7392157004103	-	-
Classic sko...	650S-50 ST/K	7392157008552	-	-
Classic sko...	650S-50 ST/ST	7392157008569	-	-
Classic sko...	650S-50 V/K	7392157862055	-	-
Classic sko...	650S-50 V/V	7392157004127	-	-
Classic sko...	650S-60 ST/K	7392157008576	-	-
Classic sko...	650S-60 ST/ST	7392157008583	-	-
Classic sko...	650S-60 V/K	7392157862062	-	-
Classic sko...	650S-60 V/V	7392157004011	-	-
Classic sko...	650S-70 ST/K	7392157008590	-	-
Classic sko...	650S-70 ST/ST	7392157008606	-	-
Classic sko...	650S-70 ST/V	7392157008613	-	-
Classic sko...	650S-70 V/K	7392157862079	-	-
Classic sko...	650S-70 V/ST	7392157008620	-	-
Classic sko...	650S-70 V/V	7392157004141	-	-
Classic sko...	650S-80 ST/K	7392157008637	-	-
Classic sko...	650S-80 ST/ST	7392157008644	-	-

Classic sko...	650S-80 V/K	7392157862086	-	-
Classic sko...	650S-80 V/V	7392157004042	-	-
Classic sko...	650S-90 ST/K	7392157008651	-	-
Classic sko...	650S-90 ST/ST	7392157008668	-	-
Classic sko...	650S-90 ST/V	7392157038870	-	-
Classic sko...	650S-90 V/K	7392157862093	-	-
Classic sko...	650S-90 V/ST	7392157008675	-	-
Classic sko...	650S-90 V/V	7392157004165	-	-
Classic sko...	650S-100 ST/K	7392157008460	-	-
Classic sko...	650S-100 ST/ST	7392157008477	-	-
Classic sko...	650S-100 V/K	7392157862109	-	-
Classic sko...	650S-100 V/V	7392157003755	-	-
Classic sko...	650S-110 ST/K	7392157008484	-	-
Classic sko...	650S-110 ST/ST	7392157008491	-	-
Classic sko...	650S-110 V/K	7392157862116	-	-
Classic sko...	650S-110 V/V	7392157862116	-	-
Classic sko...	650S-120 ST/K	7392157008507	-	-

Classic sko...	650S-120 ST/ST	7392157008514	-	-
Classic sko...	650S-120 ST/V	7392157008521	-	-
Classic sko...	650S-120 V/K	7392157862123	-	-
Classic sko...	650S-120 V/K	7392157862123	-	-
Classic sko...	650S-120 V/V	7392157004066	-	-

Certifications

Miljöbyggnad



4.0

Ind 9

The BSAB code is not covered by MB, but meets requirements corresponding to GOLD level.

Ind 15

The BSAB code is not encompassed within MB! (Product has documentation equivalent to an e-BVD, which corresponds to the GOLD level in MB 4.0).

3.0 / 3.1 / 3.2

Ind 13

The BSAB code is not encompassed within MB! (Product has documentation equivalent to an e-BVD, which corresponds to the GOLD level in MB 3.0).

Ind 14

The BSAB code is not encompassed within MB, but the product does not contain any phase-out or risk reduction substances, which is equivalent to GOLD. Note! Emissions are not taken into consideration!

2.1 / 2.2

Ind 14

The BSAB code is not encompassed within MB, but the product has a public and full BVD3, which is equivalent to GOLD

Ind 15

The BSAB code is not encompassed within MB. The product does not contain any phase-out substances according to KEMI's definition above the classification limits, which corresponds to the GOLD standard.

BREEAM-SE



2023 6.0

Mat07

The BSAB code is not covered by BREEAM, but the product does not contain phase-out substances (according to the KEMI definition of Phase-out substances), EDS Cat1/Cat2/EDC-SIN) above classification limits and does not contain candidate substances above 0.1% by weight, which corresponds to Exemplary level. Note: Note! This interpretation only applies to projects registered from the date of publication of the interpretation (2024-09-25). Projects registered before 2024-09-25 are based on the manual and its list of Phase-out substances.

2017 v.1.1

Mat07

The BSAB code is not covered by BREEAM, but the product does not contain phase-out or risk reduction substances (according to the KEMI definition of Phase-out and Risk Reduction Substances), and EDS Cat1/Cat2/EDC-SIN which corresponds to Exemplary level. Note! This interpretation only applies to projects registered from the date of publication of the interpretation (2024-09-25). Projects registered before 2024-09-25 are based on the manual and its list of Phase-out substances.

2013 v.2.0

Mat08

The BSAB code is not encompassed within BREEAM, but the product does not contain any phase-out substances above the classification limits.

Taxonomy

The taxonomy is an EU standard for systematically classifying economic activities based on sustainability criteria. It promotes sustainability by categorizing businesses according to their environmental and social impact, facilitating the assessment of sustainability performance, and supporting investment decisions for a green transition.

Byggvarubedömningen has participated in the national efforts for a Swedish industry adaptation of the taxonomy under the leadership of Byggföretagen. What we present is in accordance with this industry agreement. Link to the Taxonomy: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32020R0852>

Appendix C



The product complies with the taxonomy

The product meets the criteria for the EU Taxonomy Appendix C, including information on emissions. This means that it is classified as sustainable and in line with the EU's sustainability goals.

Appendix C

Bullet points a)–e) (regarding chemical content) must comply with European chemical legislation and will not be checked by Byggvarubedömningen. It is the responsibility of the seller of the item/product to meet these requirements.

Criterion	Explanation	Fulfilled
a) POPs regulation - Persistent organic compounds	substances, whether on their own, in mixtures or in articles, listed in Annexes I or II to Regulation (EU) 2019/1021 of the European Parliament and of the Council, except in the case of substances present as an unintentional trace contaminant.	
b) Mercury and mercury compounds	mercury and mercury compounds, their mixtures and mercury-added products as defined in Article 2 of Regulation (EU) 2017/852 of the European Parliament and of the Council.	
c) Substances that deplete the ozone layer	substances, whether on their own, in mixture or in articles, listed in Annexes I or II to Regulation (EC) No 1005/2009 of the European Parliament and of the Council.	
d) RoHS, substances in electronics	substances, whether on their own, in mixtures or in an articles, listed in Annex II to Directive 2011/65/EU of the European Parliament and of the Council, except where there is full compliance with Article 4(1) of that Directive.	

e) REACH, Restricted substances

substances, whether on their own, in mixtures or in an article, listed in Annex XVII to Regulation (EC) 1907/2006 of the European Parliament and of the Council, except where there is full compliance with the conditions specified in that Annex.



f) REACH, Candidate list

substances, whether on their own, or in mixtures or in an article, in a concentration above 0,1 % weight by weight (w/w), and meeting the criteria laid down in Article 57 of Regulation (EC) 1907/2006 and that were identified in accordance with Article 59(1) of that Regulation for a period of at least eighteen months, except if it is assessed and documented by the operators that no other suitable alternative substances or technologies are available on the market, and that they are used under controlled conditions.

